

ADVERTISEMENT FOR BIDS

CITY OF WESTON SANITARY BOARD LEWIS COUNTY, WEST VIRGINIA

CONTRACT #2 – STONECOAL CREEK SANITARY SEWER LINE IMPROVEMENTS THRASHER PROJECT #101-020-1088

Sealed bids for Contract #2 – Stonecoal Creek Sanitary Sewer Line Improvements will be received by the City of Weston Sanitary Board, located at Lewis County Court House, Commission Room on the 2nd floor, 110 Center Avenue, Weston, WV 26452, Lewis County, West Virginia, until 10:00 am, L.P.T., on Tuesday, September 18, 2018, for furnishing labor and materials and performing all Work set forth in the Contract Documents prepared by The Thrasher Group, Inc. Immediately following the scheduled closing time for the reception of Bids, all proposals which have been submitted in accordance with the conditions of the Contract Documents will be publicly opened and read aloud.

The approximate quantities of work to be bid upon are described as follows:

1 LS Mobilization/Demobilization, 1 LS Temporary Bypass Pumping, 1 LS Erosion and Sediment Control, 130 LF 18" PVC SDR 35 Gravity Sanitary Sewer Line (0'-6' Deep), 400 LF 18" PVC SDR 35 Gravity Sanitary Sewer Line (6'-9' Deep), 360 LF 18" PVC SDR 35 Gravity Sanitary Sewer Line (9'- Up), 660 LF 6" PVC SDR 35 Gravity Sanitary Sewer Line (0'-6' Deep), 275 LF 6" PVC SDR 35 Gravity Sanitary Sewer Line (6'-9' Deep), 115 LF 6" PVC SDR 35 Gravity Sanitary Sewer Line (9' - Up), 290 LF 16" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (9'-12' Deep), 400 LF 16" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (12'- Up), 210 LF 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (0'-6' Deep), 30 LF 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (6'-9' Deep), 125 LF 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (9'-12' Deep), 290 LF 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (12' - Up), 115 LF Remove Existing Sewer and Replace with 16" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (12'-15' Deep), 350 LF Remove Existing Sewer and Replace with 16" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (15'-18' Deep), 575 LF Remove Existing Sewer and Replace with 16" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (18' - Up), 300 LF Remove Existing Sewer and Replace with 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (0'-6' Deep), 675 LF Remove Existing Sewer and Replace with 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (6'-9' Deep), 575 LF Remove Existing Sewer and Replace with 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (9'-12' Deep), 440 LF Remove Existing Sewer and Replace with 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (12'-15' Deep), 65 LF Remove Existing Sewer and Replace with 12" Ductile Iron CL 50 Push Joint Gravity Sanitary Sewer Line (15' - Up), 290 LF 1 1/2" HDPE SDR 9 Force Main, 140 LF 1 1/2" HDPE SDR 9 Force Main (Same Trench as Gravity Sewer), 110 LF 36" Steel Casing (Bore & Jack), 35 LF 16" Steel Casing (Open Cut), 35 LF 12" Steel Casing (Open Cut), 55 LF 4" Steel Casing (Open Cut), 2 EA Remove Existing Manhole and Replace with New 60" Concrete Manhole (0'-6' Deep), 22 EA Remove Existing Manhole and Replace with New 48" Concrete Manhole (0'-6' Deep), 5 EA 60" Inside Diameter Concrete Manhole (0' to 6' Deep), 15 EA 48" Inside Diameter Concrete Manhole (0' to 6' Deep), 1 EA Straddle 48" Inside Diameter Concrete Manhole (0' to 6'

Deep), 20 VF 60" Diameter Concrete Manhole Riser Section, 200 VF 48" Diameter Concrete Manhole Riser Section, 12 EA Inside Drop Manhole Connection (2' - 6'), 1 EA Inside Drop Manhole Connection (6' - Up), 11 EA Reconnect Existing Sewer Main, 4 EA Tie Into Existing Manhole, 3 EA 16" x 4" DIP Wye Service Connection, 15 EA 12" x 4" DIP Wye Service Connection, 18 EA 6" x 4" PVC Wye Service Connection, 400 LF 4" Ductile Iron Service Lateral Piping, 300 LF 4" PVC SDR-35 Service Lateral Piping, 36 EA Reconnection of Existing Sewer Customer, 8 EA 6" Gravity Line Clean Out, 2 EA Package Duplex Grinder Pump Station, 200 LF WVDOH Type "B" Trench Repair, 1,000 LF WVDOH Type "C" Trench Repair, 15,000 SF 2" Gravel Drive Overlay, 3,600 LF Stream Bank Slope Protection (Full Width of Disturbed Area), 1 LS Abandonment of Old WWTP, 8 EA Cut and Plug Existing Sewer Line.

The Work will be substantially completed within 270 days after the date when the Contract Times commence to run and completed and ready for final payment within 300 days after the date when the Contract Times commence to run. Liquidated damages shall be \$1,000/day.

Contract Documents may be examined at the following places:

City of Weston Sanitary Board
171 Main Avenue
Weston, WV 26452

The Thrasher Group Inc.
600 White Oaks Boulevard
Bridgeport, WV 26330

Contractor's Association of WV
2114 Kanawha Boulevard East
Charleston, WV 25311

Complete sets of Bidding Documents may be obtained from the office of Thrasher, 600 White Oaks Boulevard, P. O. Box 940, Bridgeport, WV 26330, for the following costs:

- Bidding Documents issued as hard copy drawings and hard copy specifications are available for \$100 per set.
- Bidding Documents issued as hard copy drawings and digital Specifications on a C.D., are available for \$50 per set.
- Bidding Documents issued as digital drawings and digital specifications on a C.D., are available for \$25 per set.

Amounts paid are not subject to refund.

A two envelope system will be used.

Envelope No. 1 must have the following information presented on the front:

Name and address of Bidder
Bid on - Contract #2 – Stonecoal Creek Sanitary Sewer Line Improvements
Received by City of Weston Sanitary Board

Envelope No. 2 labeled “Bid Proposal” shall also be placed inside of Envelope #1.

Envelope No. 1 will be opened first and the Bid Opening Requirement items checked for compliance as outlined on the Bid Opening Checklist on page BOR - 1 of these contract documents. If such documents are found to be in order, Envelope No. 2 "Bid Proposal", will then be opened and will be publicly read aloud. If the documents required to be contained in Envelope No. 1 are not in order, Envelope No. 2 "Bid Proposal" will not be opened and the Bid will be considered non-responsive and will be returned to the Bidder.

NONDISCRIMINATION IN EMPLOYMENT

Bidders on this work will be required to comply with the President's Executive Order No. 11246. The requirements for bidders and contractors under this order are explained in the specifications.

SUSPENSION AND DEBARMENT

Recipient shall not entertain the use of businesses that are listed on the "System for Award Management (SAM)" at www.Sam.gov in accordance with 2 CFR Part 1532 and Subpart B and C of 2 CFR Part 180.

Prospective Bidders should note that this contract will include the following critical requirements as identified in the contract documents:

1. Affirmative Action Program Requirements and Goals.
2. Certificate of Non-Segregated Facilities.
3. Specific Labor Standard Provisions.

AMERICAN IRON AND STEEL REQUIREMENT

P.L. 113-76, Consolidated Appropriations Act, 2014 (Act), includes an "American Iron and Steel (AIS)" requirement in section 436 that requires Clean Water State Revolving Loan Fund (CWSRF) and Drinking Water Revolving Loan Fund (DWSRF) assistance recipients to use iron and steel products that are produced in the United States for projects for the construction, alteration, maintenance, or repair of a public water system or treatment works.

NOTICE OF FEDERAL WAGE REQUIREMENTS

Contractors are required to comply with all laws pertaining to prevailing wage rates for the federal wage rates issued in accordance with the Davis Bacon Act.

All Bidders are required to have a West Virginia Contractor's License per Section §21-11-11 of the West Virginia Code.

Contractor is required to provide the Drug Free Workplace Certification in accordance with WV Code 21-1D-5.

A Bidder may not withdraw his Bid for a period of ninety (90) days after the date set for the opening of Bids.

Bids shall be accompanied by a certified check or Bid Bond payable to the City of Weston Sanitary Board, for an amount equal to five percent (5%) of the Total Bid.

Bidders must hold a current West Virginia contractor's license on the date of Bid Opening.

Bids received after the scheduled closing time for the reception of Bids will be returned unopened to the Bidders.

The City of Weston Sanitary Board reserves the right to reject any and all Bids.

A **Mandatory** pre-bid conference will be held at the City of Weston Sanitary Board, located at Lewis County Court House, Commission Room on the 2nd Floor, 110 Center Avenue, Weston, WV, Lewis County, West Virginia, on Wednesday, August 29, 2018 at 11:00 am, L.P.T.

The Thrasher Group, Inc.
600 White Oaks Boulevard
Bridgeport, WV 26330

Julia Spelsberg, Mayor
City of Weston Sanitary Board