

ADVERTISEMENT FOR BIDS

GREATER HARRISON COUNTY PUBLIC SERVICE DISTRICT HARRISON COUNTY, WEST VIRGINIA PROPOSED ENTERPRISE SANITARY SEWER COLLECTION SYSTEM THRASHER PROJECT #101-020-1374

Sealed bids for Enterprise Sanitary Sewer Collection System will be received by the Greater Harrison County Public Service District at the offices of The Thrasher Group, located at 600 White Oaks Blvd., Bridgeport, Harrison County, West Virginia, until 2:00 p.m., L.P.T., on Tuesday, May 5, 2020, for furnishing labor and materials and performing all Work set forth in the Contract Documents prepared by The Thrasher Group, Inc. Immediately following the scheduled closing time for the reception of Bids, all proposals which have been submitted in accordance with the conditions of the Contract Documents will be publicly opened and read aloud through live-stream, as social distancing guidelines will be followed. A link for the live-stream of the Bid Opening will be provided via Addendum.

The approximate quantities of work to be bid upon are described as follows:

1 LS Mobilization/Demobilization, 1 LS Sediment & Erosion Control, 1 LS Videotaping of Project Area, 1 LS U.S. Route 19 Pump Station Including Access Road and Telemetry, 1 LS County Route 19/70 Pump Station and Telemetry, 1 LS Circle K Pump Station and Telemetry, 1 LS Enterprise Bridge Pump Station and Telemetry, 1 LS E-One Duplex Grinder Pump Station, 1 LS E-One Simplex Grinder Pump Station, 1 LS Magnetic Flow Meter, 1,700 LF 12" PVC SDR-35 Gravity Sewer Pipe (0'-6' Deep), 2,800 LF 12" PVC SDR-35 Gravity Sewer Pipe (6'-9' Deep), 420 LF 12" PVC SDR-35 Gravity Sewer Pipe (9'-12' Deep), 290 LF 12" Ductile Iron CL-50 Push Joint Gravity Sewer Line (0'-6' Deep), 685 LF 12" Ductile Iron CL-50 Push Joint Gravity Sewer Line (6'-9' Deep), 1,480 LF 12" Ductile Iron CL-50 Push Joint Gravity Sewer Line (9'-12' Deep), 1,800 LF 12" Ductile Iron CL-50 Push Joint Gravity Sewer Line (12'-15' Deep), 470 LF 12" Ductile Iron CL-50 Push Joint Gravity Sewer Line (15'-18' Deep), 835 LF 12" Ductile Iron CL-50 Push Joint Gravity Sewer Line (18'-21' Deep), 10,450 LF 8" PVC SDR-35 Gravity Sewer Pipe (0'-6' Deep), 4,550 LF 8" PVC SDR-35 Gravity Sewer Pipe (6'-9' Deep), 1,085 LF 8" PVC SDR-35 Gravity Sewer Pipe (9'-12' Deep), 70 LF 8" PVC SDR-35 Gravity Sewer Pipe (12'-15' Deep), 1,025 LF 8" Ductile Iron CL-50 Push Joint Gravity Sewer Line (0'-6' Deep), 570 LF 8" Ductile Iron CL-50 Push Joint Gravity Sewer Line (6'-9' Deep), 270 LF 8" Ductile Iron CL-50 Push Joint Gravity Sewer Line (9'-12' Deep), 480 LF 8" Ductile Iron CL-50 Push Joint Gravity Sewer Line (12'-15' Deep), 200 LF 8" HDPE IPS DR-21 (0'-6' Deep), 120 LF 8" HDPE IPS DR-21 (6'-9' Deep), 220 LF 8" HDPE IPS DR-21 (9'-12' Deep), 28,960 LF 6" PVC SDR-35 Gravity Sewer Pipe (0'-6' Deep), 7,830 LF 6" PVC SDR-35 Gravity Sewer Pipe (6'-9' Deep), 1,729 LF 6" PVC SDR-35 Gravity Sewer Pipe (9'-12' Deep), 985 LF 6" Ductile Iron CL-50 Push Joint Gravity Sewer Line (0'-6' Deep), 350 LF 6" Ductile Iron CL-50 Push Joint Gravity Sewer Line (6'-9' Deep), 245 LF 6" Ductile Iron CL-50 Push Joint Gravity Sewer Line (9'-12' Deep), 110 LF 6" Ductile Iron CL-50 Push Joint Gravity Sewer Line (12'-15' Deep), 300 LF 6" Ductile Iron CL-50 Push Joint Gravity Sewer Line (15'-18' Deep), 1,355 LF 6" HDPE IPS

DR-21 (0'-6' Deep), 335 LF 6" HDPE IPS DR-21 (6'-9' Deep), 135 LF 6" HDPE IPS DR-21 (9'-12' Deep), 10 LF 6" HDPE IPS DR-21 (12'-15' Deep), 8,700 LF 6" PVC C-900 DR-18 Forcemain, 305 LF 6" HDPE IPS DR-9 Directional Drill Forcemain, 1,290 LF 4" PVC C-900 DR-18 Forcemain, 2,950 LF 4" HDPE IPS DR-13.5 Forcemain, 80 LF 3" PVC SDR-21 Forcemain Installed with 8" PVC Gravity Sewer, 2,415 LF 3" PVC SDR-21 Forcemain, 480 LF 1.5" HDPE SDR-9 Forcemain Installed with 6" PVC Gravity Sewer, 105 LF 1.5" HDPE SDR-9 Forcemain, 155 LF 1.25" HDPE SDR-9 Forcemain, 396 EA 48" Dia. Manhole Base, Cone Top & Regular Casting (0'-6' Deep), 3 EA 60" Dia. Manhole Base, Cone Top & Regular Casting (0'-6' Deep), 670 VF 48" Dia. Manhole Riser Pipe, 35 VF 60" Dia. Manhole Riser Pipe, 5 EA 8" Terminal In-Line Gravity Cleanout, 97 EA 6" Terminal In-Line Gravity Cleanout, 3 EA 4" Customer Cleanout, 28 EA Drop Manhole Connection (2'-6' Drop), 9 EA Drop Manhole Connection (6' and Deeper), 2 EA 12" X 4" Ductile Iron CL-50 Wye Connection, 16 EA 12" X 4" PVC SDR-35 Wye Connection, 2 EA 8" X 4" Ductile Iron CL-50 Wye Connection, 53 EA 8" X 4" PVC SDR-35 Wye Connection, 12 EA 6" X 4" Ductile Iron CL-50 Wye Connection, 178 EA 6" X 4" PVC SDR-35 Wye Connection, 5 EA 6" X 4" HDPE IPS DR-21 Fused Wye Connection, 7,350 LF 4" PVC SDR-35 Service Lateral Piping, 210 LF 4" Ductile Iron CL-50 Push Joint Service Lateral Piping, 500 LF 4" HDPE IPS DR-13.5 Service Lateral Piping , 1,100 LF 16" Steel Casing (Bore and Jack), 20 LF 16" Steel Casing (Open Cut), 705 LF 12" Steel Casing (Bore and Jack), 160 LF 12" Steel Casing (Open Cut), 25 LF 8" Steel Casing (Bore and Jack), 55 LF 4" Steel Casing (Bore and Jack), 11 EA 6" Pressure In-Line Cleanout, 6 EA 4" Pressure In-Line Cleanout, 3 EA 3" Pressure In-Line Cleanout, 19 EA Combination Air/Vac Release Valve, 1 EA Tie Into Worthington WWTP, 64 EA HDPE Concrete Anchors, 4,470 LF Rolled Erosion Control Product, 4,780 LF Stream Bank Slope Protection, 1,445 LF Trail Repair (Gravel), 30 LF Trail Repair (HMA), 3,290 LF Gravel Driveway/Road Repair, 480 LF Gravel Parking Lot Repair, 900 LF HMA Driveway/Road Repair, 875 LF HMA Parking Lot Repair, 300 LF Concrete Driveway/Road Repair, 35 LF Concrete Sidewalk Repair, 10 LF Stair Repair, 3,180 LF WVDOH Type "B" Trench Repair, 630 TN, 2" HMA Overlay Including Rotomilling, 105 LF Rip Rap Ditch Repair, 1 EA Test Pit, 1 LS Construction Stakeout, 1 Allowance Electric Service.

The Work will be substantially completed within 300 days after the date when the Contract Times commence to run, and completed and ready for final payment within 330 days after the date when the Contract Times commence to run. Liquidated damages shall be \$1000/day.

Contract Documents may be examined at the following places:

Greater Harrison County PSD
151 Peninsula Park Avenue
West Milford, WV 26451

The Thrasher Group, Inc.
600 White Oaks Boulevard
Bridgeport, WV 26330

Contractor's Association of WV
2114 Kanawha Boulevard East
Charleston, WV 25311

Complete sets of Bidding Documents may be obtained from the office of Thrasher, via its website, www.thrashergroup.com, 600 White Oaks Boulevard, P. O. Box 940, Bridgeport, WV 26330, for the following costs:

- Bidding Documents issued as hard copy drawings, hard copy specifications, digital drawings and digital specifications via downloadable link, are available for **\$200** per set.
- Bidding Documents issued as digital drawings and digital specifications via downloadable link, are available for **\$25** per set.

Amounts paid are not subject to refund.

A two envelope system will be used.

Envelope No. 1 must have the following information presented on the front:

Name and address of Bidder
Bid on – Enterprise Sanitary Sewer Collection System
Received by Greater Harrison County Public Service District

Envelope No. 2 labeled “Bid Proposal” shall also be placed inside of Envelope #1.

Envelope No. 1 will be opened first and the Bid Opening Requirement items checked for compliance as outlined on the Bid Opening Checklist on page BOR - 1 of these contract documents. If such documents are found to be in order, Envelope No. 2 “Bid Proposal”, will then be opened and will be publicly read aloud. If the documents required to be contained in Envelope No. 1 are not in order, Envelope No. 2 “Bid Proposal” will not be opened and the Bid will be considered non-responsive and will be returned to the Bidder.

NONDISCRIMINATION IN EMPLOYMENT

Bidders on this work will be required to comply with the President’s Executive Order No. 11246. The requirements for bidders and contractors under this order are explained in the specifications.

SUSPENSION AND DEBARMENT

Recipient shall not entertain the use of businesses that are listed on the “System for Award Management (SAM)” at www.Sam.gov in accordance with 2 CFR Part 1532 and Subpart B and C of 2 CFR Part 180.

Prospective Bidders should note that this contract will include the following critical requirements as identified in the contract documents:

1. Affirmative Action Program Requirements and Goals.

2. Certificate of Non-Segregated Facilities.
3. Specific Labor Standard Provisions.
4. WV Contract Licensing Act – All bidders are required to have a WV Contractor’s License per Section 21-11-11 of the WV Code.
5. American Iron and Steel Requirement – P.L. 113-76, Section 436.

AMERICAN IRON AND STEEL REQUIREMENT

P.L. 113-76, Consolidated Appropriations Act, 2014 (Act), includes an “American Iron and Steel (AIS)” requirement in section 436 that requires Clean Water State Revolving Loan Fund (CWSRF) and Drinking Water Revolving Loan Fund (DWSRF) assistance recipients to use iron and steel products that are produced in the United States for projects for the construction, alteration, maintenance, or repair of a public water system or treatment works.

NOTICE OF FEDERAL WAGE REQUIREMENTS

Contractors are required to comply with all laws pertaining to prevailing wage rates for the federal wage rates issued in accordance with the Davis Bacon Act.

All Bidders are required to have a West Virginia Contractor’s License per Section §21-11-11 of the West Virginia Code.

Contractor is required to provide the Drug Free Workplace Certification in accordance with WV Code 21-1D-5.

A Bidder may not withdraw his Bid for a period of ninety (90) days after the date set for the opening of Bids.

Bids shall be accompanied by a certified check or Bid Bond payable to the Greater Harrison County Public Service District, for an amount equal to five percent (5%) of the Total Bid.

Bidders must hold a current West Virginia contractor’s license on the date of Bid Opening.

Bids received after the scheduled closing time for the reception of Bids will be returned unopened to the Bidders. Bids Received by contractors that did not attend the Mandatory Pre-Bid Conference will be returned unopened to the Bidders.

Greater Harrison County Public Service District reserves the right to reject any and all Bids.

A **Mandatory** pre-bid conference will be held via conference call, Call-in Number: 304-391-5940; Conference Number: 1303149, and Go-To Meeting at the following address the <https://global.gotomeeting.com/join/159424517>, on Wednesday, April 15, 2020 at 10:00 a.m., L.P.T.

James Scudere, Chairman
Greater Harrison County Public Service District

The Thrasher Group, Inc.
600 White Oaks Boulevard
Bridgeport, WV 26330

END OF ADVERTISEMENT FOR BIDS